

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 27/09/2023 Revision date: 20/03/2024 Supersedes version of: 01/02/2024 Version: 1.3

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Product form : Mixture

Product name : Lubricool Cooling Agent

Product code : E2789 Product group : End product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use Use of the substance/mixture : Laboratory chemicals Function or use category : Laboratory chemicals

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Elemental Microanalysis Ltd

1 Hameldown Road

Okehampton, Devon, EX20 1UB

**GB United Kingdom** 

T +44 1837 54446

enquiries@microanalysis.co.uk, https://www.elementalmicroanalysis.com/

### 1.4. Emergency telephone number

Emergency number : +44 (0) 7990 767375

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1B H314 Serious eye damage/eye irritation, Category 1 H318 Specific target organ toxicity - Single exposure, Category 3, Respiratory H335

tract irritation

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

May cause respiratory irritation. Causes severe skin burns and eye damage. Causes serious eye damage.

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

GHS07

Signal word (CLP)

: Danger

Contains

2-aminoethanol: ethanolamine

Hazard statements (CLP)

20/03/2024 (Revision date)

H314 - Causes severe skin burns and eye damage.

GB - en

H335 - May cause respiratory irritation.

Precautionary statements (CLP)

: P261 - Avoid breathing fume, spray, mist, vapours. P280 - Wear eye protection, protective clothing, protective gloves.

P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

1/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Immediately call a POISON CENTER, a doctor.

P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER, a doctor. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER, a doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label).

### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2,2',2"-nitrilotriethanol substance with national workplace exposure limit(s) (AT, BE, CZ, DE, DK, EE, ES, FI, IE, LT, PT, SE, IS, NO, MK, CH)	CAS-No.: 102-71-6 EC-No.: 203-049-8	< 25	Acute Tox. 4 (Dermal), H312 (ATE=2000 mg/kg bodyweight)
2-aminoethanol; ethanolamine substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, IS, NO, MK, RS, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8	< 15	Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Acute Tox. 4 (Oral), H302 (ATE=1089 mg/kg bodyweight) Skin Corr. 1B, H314
Nitric acid, reaction products with cyclododecanol and cyclododecanone, by-products from, high-boiling fraction [The high-boiling fraction separated by distillation from the products obtained from the reaction of nitric acid with cyclododecanol and cyclododecanone. Composed primarily of dodecanedioic acid, undecanedioic acid, and sebacic acid.]	CAS-No.: 72162-23-3 EC-No.: 276-431-5	< 10	Aquatic Chronic 3, H412
Sebacic acid substance with national workplace exposure limit(s) (LT, LV)	CAS-No.: 111-20-6 EC-No.: 203-845-5	< 10	Aquatic Chronic 3, H412

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
2-aminoethanol; ethanolamine	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8	(5 ≤ C ≤ 100) STOT SE 3; H335

Full text of H- and EUH-statements: see section 16

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

20/03/2024 (Revision date) GB - en 3/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Do not

breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

### 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

2-aminoethanol; ethanolamine (141-43-5)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	2-Aminoethanol	
IOEL TWA	2.5 mg/m³	
	1 ppm	
IOEL STEL	7.6 mg/m³	
	3 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
United Kingdom - Occupational Exposure Limits		
Local name	2-Aminoethanol	
WEL TWA (OEL TWA)	2.5 mg/m³	
	1 ppm	
WEL STEL (OEL STEL)	7.6 mg/m³	
	3 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):







### 8.2.2.1. Eye and face protection

# Eye protection:

Safety glasses

### 8.2.2.2. Skin protection

# Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

### **Environmental exposure controls:**

Avoid release to the environment.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : red. Appearance : Liquid. Odour : odourless. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point Not available Flammability : Non flammable. **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available Viscosity, kinematic : Not available Solubility : Water: ≈ 100 % Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available : Not available Density

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

### 9.2. Other information

# 9.2.1. Information with regard to physical hazard classes

No additional information available

# 9.2.2. Other safety characteristics

No additional information available

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

2,2',2"-nitrilotriethanol (102-71-6)		
LD50 oral rat	6400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rabbit	2000 mg/kg	
2-aminoethanol; ethanolamine (141-43-5)		
LD50 oral rat	1089 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rabbit	2504 mg/kg Source: OECD SIDS	
LC50 Inhalation - Rat (Vapours)	> 1487 mg/l Source: ECHA	

Nitric acid, reaction products with cyclododecanol and cyclododecanone, by-products from, high-boiling fraction [The high-boiling fraction separated by distillation from the products obtained from the reaction of nitric acid with cyclododecanol and cyclododecanone. Composed primarily of dodecanedioic acid, undecanedioic acid, and sebacic acid.] (72162-23-3)

LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral
	Toxicity)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

high-boiling fraction separated by distillati	odecanol and cyclododecanone, by-products from, high-boiling fraction [The ion from the products obtained from the reaction of nitric acid with omposed primarily of dodecanedioic acid, undecanedioic acid, and sebacic
acid.] (72162-23-3)	imposed primarily of dodecancellolo dela, undecancellolo dela, and sessione
LD50 dermal rat	> 2000 mg/kg Source: HPVIS
LC50 Inhalation - Rat (Vapours)	4.3 mg/l Source: HPVIS
Sebacic acid (111-20-6)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 4500 mg/m³ Source: NLM,THOMSON
Skin corrosion/irritation	: Causes severe skin burns.
2,2',2"-nitrilotriethanol (102-71-6)	
рН	10.5
2-aminoethanol; ethanolamine (141-43-5)	
рН	12.1 Temp.: 20 Concentration: 100 g/L
Serious eye damage/irritation	: Causes serious eye damage.
2,2',2"-nitrilotriethanol (102-71-6)	
рН	10.5
2-aminoethanol; ethanolamine (141-43-5)	
рН	12.1 Temp.: 20 Concentration: 100 g/L
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
2,2',2"-nitrilotriethanol (102-71-6)	
IARC group	3 - Not classifiable
2,2',2"-nitrilotriethanol (102-71-6)	
NOAEL (chronic, oral, animal/male, 2 years)	63 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 451 (Carcinogenicity Studies)
Sebacic acid (111-20-6)	
NOAEL (chronic, oral, animal/male, 2 years)	> 3750 mg/kg bodyweight Animal: rat, Animal sex: male
NOAEL (chronic, oral, animal/female, 2 years)	> 750 mg/kg bodyweight Animal: rat, Animal sex: female
Reproductive toxicity	: Not classified
2,2',2"-nitrilotriethanol (102-71-6)	
NOAEL (animal/male, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
NOAEL (animal/female, F0/P)	300 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-aminoethanol; ethanolamine (141-43-5)	
NOAEL (animal/male, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
NOAEL (animal/female, F0/P)	300 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
Sebacic acid (111-20-6)	
NOAEL (animal/male, F0/P)	> 3750 mg/kg bodyweight Animal: rat, Animal sex: male
NOAEL (animal/female, F0/P)	> 750 mg/kg bodyweight Animal: rat, Animal sex: female
STOT-single exposure STOT-repeated exposure	: May cause respiratory irritation. : Not classified
2,2',2"-nitrilotriethanol (102-71-6)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents)
2-aminoethanol; ethanolamine (141-43-5)	
NOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: other:, Guideline: other:
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.01 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study), Guideline: EU Method B.8 (Subacute Inhalation Toxicity: 28-Day Study)
high-boiling fraction separated by distillation	lecanol and cyclododecanone, by-products from, high-boiling fraction [The on from the products obtained from the reaction of nitric acid with inposed primarily of dodecanedioic acid, undecanedioic acid, and sebacic
NOAEL (oral, rat, 90 days)	1800 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents)
Aspiration hazard	: Not classified
2-aminoethanol; ethanolamine (141-43-5)	
Viscosity, kinematic	23.392 mm²/s

### 11.2. Information on other hazards

No additional information available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms. : Not classified

Hazardous to the aquatic environment, short-term (acute)

: Not classified Hazardous to the aquatic environment, long-term

(chronic)

Not rapidly degradable

2,2',2"-nitrilotriethanol (102-71-6)	
	11000 mg// Toot organisms (onesics): Dimenhales promotes
LC50 - Fish [1]	11800 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	609.88 mg/l Test organisms (species): Ceriodaphnia dubia
EC50 72h - Algae [1]	512 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2,2',2"-nitrilotriethanol (102-71-6)		
EC50 72h - Algae [2]	216 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
ErC50 algae	169 mg/l	
NOEC chronic fish	> 1 mg/l Test organisms (species): other:	
2-aminoethanol; ethanolamine (141-43-5)		
LC50 - Fish [1]	349 mg/l Test organisms (species): Cyprinus carpio	
EC50 - Crustacea [1]	27.04 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	2.8 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)	
EC50 72h - Algae [2]	2.1 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)	
ErC50 algae	2.1 mg/l Source: ECHA	
NOEC (chronic)	0.85 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	1.24 mg/l Test organisms (species): Oryzias latipes Duration: '41 d'	
Nitric acid, reaction products with cyclododecanol and cyclododecanone, by-products from, high-boiling fraction [The high-boiling fraction separated by distillation from the products obtained from the reaction of nitric acid with cyclododecanol and cyclododecanone. Composed primarily of dodecanedioic acid, undecanedioic acid, and sebacic acid.] (72162-23-3)		
EC50 72h - Algae [1]	> 38.6 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 96h - Algae [1]	105 mg/l Source: HPVIS	
Sebacic acid (111-20-6)		
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
LC50 - Fish [2]	> 18 mg/l Test organisms (species): other:	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna	
EC50 96h - Algae [1]	681.937 mg/l Source: ECOSAR	
12.2. Persistence and degradability		

No additional information available

# 12.3. Bioaccumulative potential

12.3. Bioaccumulative potential		
2,2',2"-nitrilotriethanol (102-71-6)		
Partition coefficient n-octanol/water (Log Pow)	-1.59	
2-aminoethanol; ethanolamine (141-43-5)		
Partition coefficient n-octanol/water (Log Pow)	-1.31 Source: ICSC	
Nitric acid, reaction products with cyclododecanol and cyclododecanone, by-products from, high-boiling fraction [The high-boiling fraction separated by distillation from the products obtained from the reaction of nitric acid with cyclododecanol and cyclododecanone. Composed primarily of dodecanedioic acid, undecanedioic acid, and sebacic acid.] (72162-23-3)		
high-boiling fraction separated by distillation cyclododecanol and cyclododecanone. Comp	from the products obtained from the reaction of nitric acid with	
high-boiling fraction separated by distillation cyclododecanol and cyclododecanone. Comp	from the products obtained from the reaction of nitric acid with	
high-boiling fraction separated by distillation cyclododecanol and cyclododecanone. Compacid.] (72162-23-3)	from the products obtained from the reaction of nitric acid with cosed primarily of dodecanedioic acid, undecanedioic acid, and sebacic	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.4. Mobility in soil

Nitric acid, reaction products with cyclododecanol and cyclododecanone, by-products from, high-boiling fraction [The high-boiling fraction separated by distillation from the products obtained from the reaction of nitric acid with cyclododecanol and cyclododecanone. Composed primarily of dodecanedioic acid, undecanedioic acid, and sebacic acid.] (72162-23-3)

Mobility in soil 79 Source: ECHA Chem

### 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste treatment methods

**HP Code** 

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: HP8 - "Corrosive:" waste which on application can cause skin corrosion.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 2491	UN 2491	UN 2491	UN 2491	UN 2491
14.2. UN proper shippin	g name			
ETHANOLAMINE SOLUTION	ETHANOLAMINE SOLUTION	Ethanolamine solution	ETHANOLAMINE SOLUTION	ETHANOLAMINE SOLUTION
Transport document descr	iption			
UN 2491 ETHANOLAMINE SOLUTION, 8, III, (E)	UN 2491 ETHANOLAMINE SOLUTION, 8, III	UN 2491 Ethanolamine solution, 8, III	UN 2491 ETHANOLAMINE SOLUTION, 8, III	UN 2491 ETHANOLAMINE SOLUTION, 8, III
14.3. Transport hazard o	class(es)			
8	8	8	8	8
8	8	8	B	8
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	n available		1	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 14.6. Special precautions for user

**Overland transport** 

Classification code (ADR) : C7
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1

(ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80

Orange plates :

80 2491

Tunnel restriction code (ADR) : E EAC code : 2X

Transport by sea

Special provisions (IMDG) : 223 : 5 L Limited quantities (IMDG) Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) IBC03 Tank instructions (IMDG) T4 Tank special provisions (IMDG) TP1 EmS-No. (Fire) F-A EmS-No. (Spillage) : S-B Stowage category (IMDG)

Segregation (IMDG) : SGG18, SG35

Properties and observations (IMDG) : Colourless. Miscible with water. Corrosive to copper, copper compounds, copper alloys and

rubber. Reacts violently with acids. Liquid and vapour cause burns to skin, eyes and

mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) Y841 PCA limited quantity max net quantity (IATA) 1L PCA packing instructions (IATA) 852 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 856 CAO max net quantity (IATA) 60L Special provisions (IATA) A3, A803 ERG code (IATA) 81

Inland waterway transport

Classification code (ADN) : C7
Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C7
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

# **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:		
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H302	Harmful if swallowed.
H312	Harmful in contact with skin.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

The classification complies with

: ATP 12

Safety Data Sheet (SDS)\_EMAL, EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.