

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 16/04/2015 Revision date: 20/03/2024 Supersedes version of: 09/08/2019 Version: 11.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance Substance name : NAPHTHALENE Chemical name : naphthalene EC Index-No. : 601-052-00-2 EC-No. : 202-049-5 CAS-No. : 91-20-3 Product code : B2014 Formula : C10H8 : End product Product group

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Laboratory chemicals
Function or use category : Laboratory chemicals

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Elemental Microanalysis Ltd

1 Hameldown Road

Okehampton, Devon, EX20 1UB

GB United Kingdom

T +44 1837 54446

enquiries@microanalysis.co.uk, https://www.elementalmicroanalysis.com/

1.4. Emergency telephone number

Emergency number : +44 (0) 7990 767375

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Carcinogenicity, Category 2 H351
Acute toxicity (oral), Category 4 H302
Hazardous to the aquatic environment – Acute Hazard, Category 1 H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1 H410

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Suspected of causing cancer. Harmful if swallowed. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

GHS08

GHS09

Signal word (CLP) : Warning

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazard statements (CLP) : H351 - Suspected of causing cancer.

H302 - Harmful if swallowed.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P264 - Wash hands thoroughly after handling.

P280 - Wear eye protection, protective clothing, protective gloves. P308+P313 - IF exposed or concerned: Get medical advice/attention.

P391 - Collect spillage.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type : Mono-constituent

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
NAPHTHALENE	CAS-No.: 91-20-3 EC-No.: 202-049-5 EC Index-No.: 601-052-00-2	100	Carc. 2, H351 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if

you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

20/03/2024 (Revision date) GB - en 2/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not

handle until all safety precautions have been read and understood. Wear personal

protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

IAPHTHALENE (91-20-3)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Naphthalene
IOEL TWA	50 mg/m³
	10 ppm
Remark	(Year of adoption 2010)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

NAPHTHALENE (91-20-3)	
Regulatory reference	COMMISSION DIRECTIVE 91/322/EEC; SCOEL Recommendations

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

NAPHTHALENE (91-20-3)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	3.57 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	25 mg/m³	
Long-term - local effects, inhalation	25 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	2.4 μg/l	
PNEC aqua (marine water)	2.4 μg/l	
PNEC aqua (intermittent, freshwater)	20 μg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	67.2 μg/kg dw	
PNEC sediment (marine water)	67.2 μg/kg dw	
PNEC (Soil)		
PNEC soil	53.3 μg/kg dw	
PNEC (STP)		
PNEC sewage treatment plant	2.9 mg/l	

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid Colour : white.

Molecular mass : 128.17 g/mol Source: HSDB

Odour : aromatic. Odour threshold : 0.003 ppm : 80 °C Source: IPCS Melting point Freezing point : Not applicable : 218 °C Source: IPCS Boiling point Flammability : Non flammable. **Explosive limits** : Not applicable Lower explosion limit : Not applicable

Upper explosion limit : 0.9 – 5.9 % Source: ICSC Flash point : 78.5 °C Atm. press.: 99 kPa

Auto-ignition temperature : 540 °C Source: ipcs
Decomposition temperature : Not available
pH : No data available.
pH solution : Not available
Viscosity, kinematic : Not applicable

Solubility : Water: 0.0031 g/100ml at 25°C Source: Chem ID Plus

Partition coefficient n-octanol/water (Log Kow) : Not available
Partition coefficient n-octanol/water (Log Pow) : 3.3 Source: hsbd

Vapour pressure : 0.085 mm Hg at 25°C Source: CHEM ID PLUS

Vapour pressure at 50°C : Not available Density : Not available

Relative density : 1.085 Type: 'relative density' Temp.: 20 °C

Relative vapour density at 20°C : 4.42 Source: IPCS Particle size : Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : < 1

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

20/03/2024 (Revision date) GB - en 5/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

NAPHTHALENE (91-20-3)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	2500 mg/kg Source: ChemIDplus
LD50 dermal	20000 mg/kg
LC50 Inhalation - Rat	> 0.4 mg/l air Animal: rat, Guideline: other:, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)
LC50 Inhalation - Rat (Vapours)	> 0.4 mg/l Source: ECHA

Skin corrosion/irritation : Not classified

pH: No data available.

Serious eye damage/irritation : Not classified

pH: No data available.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

NAPHTHALENE (91-20-3)	
IARC group	2B - Possibly carcinogenic to humans

Reproductive toxicity : Not classified

NAPHTHALENE (91-20-3)	
LOAEL (animal/female, F0/P)	50 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
LOAEL (animal/female, F1)	450 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
NOAEL (animal/female, F0/P)	120 mg/kg bodyweight Animal: rabbit, Animal sex: female, Guideline: other:
STOT-single exposure	: Not classified

STOT-single exposure : Not classified STOT-repeated exposure : Not classified

NAPHTHALENE (91-20-3)	
• • • • • • • • • • • • • • • • • • • •	400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
LOAEC (inhalation, rat, vapour, 90 days)	0.011 mg/l air Animal: rat, Guideline: EPA OPP 82-4 (90-Day Inhalation Toxicity), Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

NAPHTHALENE (91-20-3)	
	200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

Aspiration hazard : Not classified

NAPHTHALENE (91-20-3)	PHTHALENE (91-20-3)	
Viscosity, kinematic	Not applicable	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

(acute)

erm : Very toxic to aquatic life with long lasting effects.

: Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term

(chronic)

Not rapidly degradable

NAPHTHALENE (91-20-3)	
LC50 - Fish [1]	1.6 mg/l
EC50 - Crustacea [1]	2.16 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	1 mg/l
NOEC (chronic)	0.59 mg/l Test organisms (species): Daphnia pulex Duration: '125 d'

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

NAPHTHALENE (91-20-3)	
Partition coefficient n-octanol/water (Log Pow)	3.3 Source: hsbd

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

20/03/2024 (Revision date) GB - en 7/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.

HP7 - "Carcinogenic:" waste which induces cancer or increases its incidence

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 1334	UN 1334	UN 1334	UN 1334	UN 1334
14.2. UN proper shippin	g name			
NAPHTHALENE, REFINED (NAPHTHALENE)	NAPHTHALENE, REFINED (NAPHTHALENE)	Naphthalene, refined (NAPHTHALENE)	NAPHTHALENE, REFINED (NAPHTHALENE)	NAPHTHALENE, REFINED (NAPHTHALENE)
Transport document descr	iption			
UN 1334 NAPHTHALENE, REFINED (NAPHTHALENE), 4.1, III, (E), ENVIRONMENTALLY HAZARDOUS	UN 1334 NAPHTHALENE, REFINED (NAPHTHALENE), 4.1, III, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1334 Naphthalene, refined (NAPHTHALENE), 4.1, III, ENVIRONMENTALLY HAZARDOUS	UN 1334 NAPHTHALENE, REFINED (NAPHTHALENE), 4.1, III, ENVIRONMENTALLY HAZARDOUS	UN 1334 NAPHTHALENE, REFINED (NAPHTHALENE), 4.1, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard o	class(es)			
4.1	4.1	4.1	4.1	4.1
**	1 1 1 1 1 1 1 1 1 1	**	¥2>	***************************************
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	on available		ı	

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 501
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3
Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions (ADR) : T1, BK1, BK2, BK3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : SGAV
Vehicle for tank carriage : AT
Transport category (ADR) : 3

Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP1

Hazard identification number (Kemler No.) : 40

Orange plates :

40 1334

Tunnel restriction code (ADR) : E EAC code : 1Z

Transport by sea

Special provisions (IMDG): 948, 967Limited quantities (IMDG): 5 kgExcepted quantities (IMDG): E1Packing instructions (IMDG): P002, LP02IBC packing instructions (IMDG): IBC08IBC special provisions (IMDG): B3

Tank instructions (IMDG) : T1, BK2, BK3

Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-G
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW23

Properties and observations (IMDG) : Crystalline flakes or powder with a persistent odour. Evolves flammable vapours at, or

below, its melting point.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y443 PCA limited quantity max net quantity (IATA) : 10kg PCA packing instructions (IATA) : 446 PCA max net quantity (IATA) : 25kg : 449 CAO packing instructions (IATA) CAO max net quantity (IATA) 100ka Special provisions (IATA) : A803 ERG code (IATA) 3L

Inland waterway transport

Classification code (ADN) : F1 : 501 Special provisions (ADN) Limited quantities (ADN) : 5 kg : E1 Excepted quantities (ADN) : B Carriage permitted (ADN) : PP Equipment required (ADN) : CO01 Provisions for carriage in bulk (ADN) Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : F1
Special provisions (RID) : 501
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3
Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions (RID) : T1, BK1, BK2, BK3

Portable tank and bulk container special provisions : TP33

(RID)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Tank codes for RID tanks (RID) : SGAV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W1

Special provisions for carriage – Bulk (RID) : VC1, VC2, AP1

Colis express (express parcels) (RID) : CE11 Hazard identification number (RID) : 40

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Not listed on REACH Annex XVII

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Not listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Subject to reporting requirements of United States SARA Section 313

Listed on the Canadian DSL (Domestic Substances List)

Listed on EPA Hazardous Air Pollutant (HAPS)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:		
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Carc. 2	Carcinogenicity, Category 2	
H302	Harmful if swallowed.	
H351	Suspected of causing cancer.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

The classification complies with : ATP 12

Safety Data Sheet (SDS)_EMAL, EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.