

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 16/04/2015 Revision date: 20/03/2024 Supersedes version of: 12/03/2024 Version: 13.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form : Mixture

Product name : SCHUTZE REAGENT Product code : B1289, B1519 Product group : End product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use Use of the substance/mixture : Laboratory chemicals Function or use category : Laboratory chemicals

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Elemental Microanalysis Ltd

1 Hameldown Road

Okehampton - Devon EX20 1UB

**GB United Kingdom** 

T +44 1837 54446

enquiries@microanalysis.co.uk - https://www.elementalmicroanalysis.com/

### 1.4. Emergency telephone number

**Emergency number** : +44 (0) 7990 767375

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhalation:dust,mist) Category 4 H332 Skin corrosion/irritation, Category 1, Sub-Category 1A H314 Serious eye damage/eye irritation, Category 1 H318 Specific target organ toxicity - Single exposure, Category 3, Respiratory H335

tract irritation

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

Harmful if inhaled. May cause respiratory irritation. Causes severe skin burns and eye damage. Causes serious eye damage.

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05 GHS07

Signal word (CLP)

: Danger

: IODINE PENTOXIDE; SULPHURIC ACID Contains

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

H332 - Harmful if inhaled.

H335 - May cause respiratory irritation.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Precautionary statements (CLP) : P261 - Avoid breathing dust, fume, vapours.

P280 - Wear eye protection, protective clothing, protective gloves.

P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Immediately call a POISON CENTER, a doctor.

P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER, a doctor. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER, a doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label).

### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
SILICA GEL	CAS-No.: 63231-67-4 EC-No.: 613-187-4	70	Skin Irrit. 2, H315
IODINE PENTOXIDE	CAS-No.: 12029-98-0 EC-No.: 234-740-2	20	Ox. Liq. 2, H272 Skin Corr. 1A, H314 STOT SE 3, H335
SULPHURIC ACID substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, IS, NO, MK, RS, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 7664-93-9 EC-No.: 231-639-5 EC Index-No.: 016-020-00-8	10	Skin Corr. 1A, H314

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
SULPHURIC ACID	EC-No.: 231-639-5	( 5 ≤C < 15) Skin Irrit. 2, H315 ( 5 ≤C < 15) Eye Irrit. 2, H319 ( 15 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general

: Call a physician immediately.

doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

20/03/2024 (Revision date) GB - en 2/12

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Do not

breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

20/03/2024 (Revision date) GB - en 3/12

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

SULPHURIC ACID (7664-93-9)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Sulphuric acid (mist)		
IOEL TWA	0.05 mg/m³		
Regulatory reference	COMMISSION DIRECTIVE 2009/161/EU		
United Kingdom - Occupational Exposure Limits			
Local name	Sulphuric acid		
WEL TWA (OEL TWA) [1]	0.05 mg/m³ mist		
Remark	The mist is defined as the thoracic fraction		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

## Personal protective equipment symbol(s):







### 8.2.2.1. Eye and face protection

### Eye protection:

Safety glasses

### 8.2.2.2. Skin protection

## Skin and body protection:

Wear suitable protective clothing

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### Hand protection:

Protective gloves

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

### **Environmental exposure controls:**

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state : Solid Colour : Yellow. Odour : odourless. Odour threshold : Not available Melting point : No data available. Freezing point : Not applicable Boiling point : Not available Flammability : Non flammable. **Explosive limits** : Not applicable Lower explosion limit : Not applicable Upper explosion limit : Not applicable Flash point : Not applicable Auto-ignition temperature : No data available. Decomposition temperature : Not available рΗ : No data available. pH solution : Not available Viscosity, kinematic : Not applicable : Not available Solubility Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Not available Vapour pressure at 50°C Not available Density No data available. Relative density Relative vapour density at 20°C No data available.

#### 9.2. Other information

Particle size

## 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

: Not available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Harmful if inhaled.

o	$\sim$ $_{\rm LI}$		-	-	$\Lambda \cap \Box$	
3	υп	UI	$\Delta \mathbf{E}$	RE	AGE	

ATE CLP (dust,mist) 3.75 mg/l/4h

### SILICA GEL (63231-67-4)

LD50 oral 15000 mg/kg

### **SULPHURIC ACID (7664-93-9)**

LD50 oral rat 2140 mg/kg bodyweight Animal: rat, 95% CL: 1540 - 2990		2140 mg/kg bodyweight Animal: rat, 95% CL: 1540 - 2990
	LC50 Inhalation - Rat	0.375 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
	LC50 Inhalation - Rat (Dust/Mist)	0.375 mg/l Source: ECHA

Skin corrosion/irritation : Causes severe skin burns. pH: No data available.

## SILICA GEL (63231-67-4)

pH 2.3 – 7.4

### **SULPHURIC ACID (7664-93-9)**

pH 0.3 Source: HSDB

Serious eye damage/irritation : Causes serious eye damage.

pH: No data available.

## SILICA GEL (63231-67-4)

pH 2.3 – 7.4

### **SULPHURIC ACID (7664-93-9)**

pH 0.3 Source: HSDB

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

## **SULPHURIC ACID (7664-93-9)**

IARC group 1 - Carcinogenic to humans

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

20/03/2024 (Revision date) GB - en 6/12

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

IODINE PENTOXIDE (12029-98-0)				
STOT-single exposure		May cause respiratory irritation.		
STOT-repeated exposure	:	Not classified		
Aspiration hazard	:	Not classified		
SCHUTZE REAGENT				
Viscosity, kinematic		Not applicable		
SULPHURIC ACID (7664-93-9)				
Viscosity, kinematic		11.413 mm²/s		

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Not rapidly degradable

SULPHURIC ACID (7664-93-9)	
LC50 - Fish [1]	16 – 28 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.15 mg/l Test organisms (species): other:
NOEC chronic fish	0.31 mg/l Test organisms (species): Salvelinus fontinalis Duration: '213 d'

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

SULPHURIC ACID (7664-93-9)	
Partition coefficient n-octanol/water (Log Pow)	-2.2 Source: HSDB

### 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

20/03/2024 (Revision date) GB - en 7/12

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste treatment methods

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- HP2 "Oxidising:" waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials.

HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

HP8 - "Corrosive:" waste which on application can cause skin corrosion.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 2796	UN 2796	UN 2796	UN 2796	UN 2796
14.2. UN proper shippin	g name			
SULPHURIC ACID (SULPHURIC ACID)	SULPHURIC ACID (SULPHURIC ACID)	Sulphuric acid (SULPHURIC ACID)	SULPHURIC ACID (SULPHURIC ACID)	SULPHURIC ACID (SULPHURIC ACID)
Transport document descr	iption			
UN 2796 SULPHURIC ACID (SULPHURIC ACID), 8, II, (E)	UN 2796 SULPHURIC ACID (SULPHURIC ACID), 8, II	UN 2796 Sulphuric acid (SULPHURIC ACID), 8, II	UN 2796 SULPHURIC ACID (SULPHURIC ACID), 8, II	UN 2796 SULPHURIC ACID (SULPHURIC ACID), 8, II
14.3. Transport hazard o	class(es)			
8	8	8	8	8
8	8	8	8	8
14.4. Packing group				
II	II	II	II	II
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	n available		ı	

## 14.6. Special precautions for user

### **Overland transport**

Classification code (ADR) : C1 Limited quantities (ADR) : 11 Excepted quantities (ADR) : E2 Packing instructions (ADR) : P001, IBC02 Mixed packing provisions (ADR) : MP15 Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions : TP2

(ADR)

: L4BN Tank code (ADR) Tank special provisions (ADR) : TU42 : AT Vehicle for tank carriage

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Transport category (ADR) : 2

Hazard identification number (Kemler No.) : 80
Orange plates : ■

80 2796

Tunnel restriction code (ADR) : E EAC code : 2R

Transport by sea

Limited quantities (IMDG) : 1L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 IBC special provisions (IMDG) : B20 Tank instructions (IMDG) : T8 Tank special provisions (IMDG) : TP2 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B Stowage category (IMDG) : B

Segregation (IMDG) : SGG1, SG36, SG49

Properties and observations (IMDG) : Colourless liquid, mixture not exceeding 1.405 relative density. Highly corrosive to most

metals. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y840 PCA limited quantity max net quantity (IATA) : 0.5L PCA packing instructions (IATA) : 851 PCA max net quantity (IATA) : 1L CAO packing instructions (IATA) : 855 CAO max net quantity (IATA) : 30L ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C1
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C1
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2
Packing instructions (RID) : P001, IBC02
Mixed packing provisions (RID) : MP15
Portable tank and bulk container instructions (RID) : T8
Portable tank and bulk container special provisions : TP2

(RID)

Tank codes for RID tanks (RID) : L4BN Special provisions for RID tanks (RID) : TU42 Transport category (RID) : 2 Colis express (express parcels) (RID) : CE6 Hazard identification number (RID) : 80

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### **Explosives Precursors Regulation (2019/1148)**

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **ANNEX I RESTRICTED EXPLOSIVES PRECURSORS**

List of substances which are not to be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Sulphuric acid	7664-93-9	15 % w/w	40 % w/w	ex 2807 00 00	ex 3824 99 96

Please see https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives\_en

### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Sulphuric acid		7664-93-9	2807 00 00	Category 3		Annex I

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **SECTION 16: Other information**

Abbreviations and acr	conyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H272	May intensify fire; oxidiser.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
Ox. Liq. 2	Oxidising Liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

The classification complies with

: ATP 12

Safety Data Sheet (SDS)\_EMAL, EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.